

# **ANTHONY**

## **LIFTGATES, INC.®**

SOLUTIONS FOR TRUCKS & TRAILERS



# **PRODUCT GUIDE**

[WWW.ANTHONYLIFTGATES.COM](http://WWW.ANTHONYLIFTGATES.COM)



# CONTENT

## Selecting a Liftgate

- 07 Application Guide
- 08 Platform and Ride Type
- 09 Liftgates by Vehicle Application
- 11 Liftgates by Model Type

## TuckUnder™ Series Liftgates

- 15 ETU Models
- 17 AST Models
- 19 SM Models
- 21 MTU-GLR Models

## RailTrac Series Liftgates

- 25 AR Models
- 27 AR-FA Models
- 28 AR-DT Models
- 29 DDR Models
- 31 PCR Models
- 33 MRT Models
- 35 MRT-SL & MRT-XL Models
- 36 MRT-GB Models


## Pickup, Van, & Utility Body Series

- 39 ALB Models
- 41 LA Models

## Conventional Series


- 43 AC Models





ANTHONY INVENTED THE LIFTGATE  
The Original Liftgate Line. 1941








# OVER 80 YEARS OF AMERICAN INNOVATION

William C. Anthony founded the Anthony Company in 1917 with his invention of a gravity type dump box for the Ford Model T. Its success marked the beginning of a long legacy of innovative trucking products.

Anthony introduced the first liftgate, revolutionizing the way goods moved worldwide in 1941.

For over 80 years, Anthony Liftgates have been leading the way with innovative products for trucks of all sizes.

Today, every Anthony gate is still precision crafted in the USA - just down the road from where the first liftgate was born.





# ANTHONY LIFTGATES, INC.



## WHY ANTHONY

---

### TOUGH

Life on the back of a truck isn't easy. Whether it's the pavement, the cargo, the dock, or the weather, there's always something trying to stop your truck from moving. Every Anthony gate is built for work in the real world.

### DRIVER FRIENDLY

Anthony liftgates are easy to use. Spring-assisted platforms are tuned to make platform operation a breeze. A huge selection of options provide a safe and efficient lift for every kind of cargo.

### LOW MAINTENANCE

Anthony liftgates use advanced anti-wear materials and are designed to lift at lower pressures. This means an Anthony liftgate runs longer with less time and money wasted on maintenance and repair.

### RELIABLE

Liftgates should solve problems, not create them, so Anthony gates use only top-quality components. Plus, every liftgate must pass a grueling cycle test before it is ready to wear the Anthony badge: Thousands of cycles. Maximum capacity. Not one drop of grease.

### ALL-AMERICAN SUPPORT

Because Anthony gates are designed, built, sold, and supported from America's heartland, there's never a worry about ports, borders, or overseas customer support when your truck is down. An Anthony gate means a commitment to support for the long haul, when you need it.




# APPLICATION GUIDE

	Available Liftgates Capacity Range (LB)			Ride Type
	Light Duty Vehicle	Medium Duty Vehicle	Heavy Duty Vehicle	
	GVW 14,000 lbs or less	GVW 14,001-26,000 lbs	GVW 26,001 +	
TUCKUNDER™				
ETU	2000-2500	2000-2500		Standard Ramping
AST	1500-3500	1500-3500		Standard Ramping
SM		1800-3000	1800-3000	Standard Ramping
MAGNUM TUCKUNDER™				
MTU-GLR-L	2500-3300	2500-3300		Gentle Level Ride
MTU-GLR		2500-6000	2500-6000	Gentle Level Ride
MTU-GLR-WR		3000-4000	3000-4000	Gentle Level Ride
RAILTRAC				
AR	1500-2500	1500-2500		Full Level Ride
AR-FA	2500	2500		Full Level Ride
AR-DT	1200-2000	1200-2000		Full Level Ride
PCR		2000-2500		Full Level Ride
DDR		3000-3500		Full Level Ride
MAGNUM RAILTRAC				
MRT		3500-6500	3500-6500	Full Level Ride
MRT-SLR		3500-5500	3500-5500	Full Level Ride
MRT-XL		3500-5500	3500-5500	Full Level Ride
GAS BOTTLE RAILTRAC				
PCR-GB		2500	2500	Full Level Ride
MRT-GB		3500-4500	3500-4500	Full Level Ride
PICKUP, VAN, AND UTILITY BODY				
ALB	1500	1500		Full Level Ride
LA	1600-2000	1600-2000		Full Level Ride
CONVENTIONAL				
AC	1600-2500	1600-2500		Standard Ramping




# SELECTING PLATFORM AND RIDE TYPE



## Platform Dimensions

- A Load Area Width
- B Load Area Depth
- C Ramp Depth



Cart stops optional on most platforms


## Ramp Types



**Ramped Platform**  
Flat Surface with Rear Ramp



**Wedge Platform**  
Full Taper Front to Back




**ARR Platform**  
3-Position Pivoting Ramp

## Ride Types



**Standard Ramping Ride**  
Gradual tilt throughout ride



**GLR- Gentle Level Ride™**  
Level ride with ground level tilt



**Full Level Ride**  
Remains level throughout the cycle



# LIFTGATE OVERVIEW

BY COMMON VEHICLE APPLICATION



## PICKUP

**ALB**

1500 LBS.  
CAPACITY



## SERVICE BODY

**ALB**

1500 LBS.  
CAPACITY

**LA**

1600 - 2000  
LBS.  
CAPACITIES



## TRAILER

**MTU**

2500 - 6000  
LBS.  
CAPACITIES

**MRT**

3500 - 6500  
LBS.  
CAPACITIES



## STAKE BED, VAN & FLATBED

**SM**

1800 - 3000  
LBS.  
CAPACITIES

**MTU**

2500 - 6000  
LBS.  
CAPACITIES

**AR**

1500 - 2500  
LBS.  
CAPACITIES

**PCR**

2500 LBS.  
CAPACITY

**DDR**

3000 - 3500  
LBS.  
CAPACITIES

**LA**

1600 - 2000  
LBS.  
CAPACITIES

**AC**

1600 - 2500  
LBS.  
CAPACITIES





# **ANTHONY**

## **LIFTGATES, INC.®**

Installations not strictly limited to those presented here.  
Call 800-482-0003 for additional information.



# LIFTGATE OVERVIEW


## BY MODEL TYPE

### RAILTRAC

RailTrac® models mount to the rear frame of a truck or trailer. They move straight up and down, providing a level ride cycle that runs aligned with the truck bed at all times. When stowed, the platform typically covers a portion of the rear doorway. Many models have platforms that may be lowered straight down to provide access to the doorway, or for dock loading.

RailTrac® Series models are chain-driven liftgates suited for light & medium duty trucks. They can be installed on van bodies, flat beds, and stake beds. They are well-suited for low bed height vehicles in need of a large platform, but are not recommended for use in trailer applications.


Magnum RailTrac® Series models are direct hydraulic drive liftgates built for both truck and trailer use. They work well in dock loading, pallet delivery, and wheeled cart delivery, and are commonly used to move laundry, auto parts, food, beverages, batteries, bottled gas, and merchandise.



### TUCKUNDER™

Tuckunder liftgates mount to the chassis frame of a truck or trailer. They stow folded beneath the rear of the vehicle to provide full access to the rear doorway when not in use.


Anthony offers a broad range of TuckUnder™ models for use on light, medium, and heavy duty vehicles in two different ride styles to suit virtually every application.



### CONVENTIONAL

Conventional liftgates mount to the chassis frame of a truck. They stow upright at the rear of the vehicle, doubling as a tail gate when not in use.

These models are commonly used on stake bed trucks in construction and landscaping applications.









## UTILITY

Anthony's utility liftgates mount to the vertical posts and rear edge of a truck. They stow upright at the rear of the vehicles, doubling as a tail gate when not in use.

Utility liftgates make pickups and service body vehicles more versatile, and are valuable in a wide number of applications including roadside tire repair, painting, construction, maintenance, and landscaping.







ANTHONY

8888888





# TUCKUNDER™ SERIES



# ETU TUCKUNDER™

## Value

The ETU (Express TuckUnder™) is the perfect solution for value-minded vehicles. It features the same unique grease free technology used in other Anthony models, and large wedge platforms with full spring assist for easy operation. Plus, with a set of bumper steps, mechanical latch, and factory-filled power unit housed in a rugged galvanized steel enclosure, the ETU is a fantastic value.

## RECOMMENDED APPLICATIONS

**LIGHT/MEDIUM DUTY**



## ETU MODELS

### **ETU-20-44**

A 2,000 pound capacity TuckUnder™ for smaller trucks and lower bed heights.

### **ETU-25-50**

A 2,500 pound capacity TuckUnder™ for larger trucks and higher bed heights.

## PERSONAL CUSTOMER SUPPORT

Need help?

From a fleet of one to a fleet of thousands, at Anthony, every truck matters. Our team of trained liftgates experts are here to help.





## KEY ADVANTAGES

- Grease Free Operation
- Large Platform Load Area
- Spring Assist
- Centralized Hydraulics



ETU-25-50

## STANDARD MODELS

MODEL	ETU-20-44	ETU-25-50
Capacity (lbs.)	2000	2500
Bed Height (Min-Max)	36" - 44"	38" - 56"
Platforms	80" x 44" Wedge	80" x 50" Wedge



For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)



# AST TUCKUNDER™

With its simple, rock-solid design, AST (Anthony Standard Tuck) has been the perfect choice for delivery in light and medium truck applications for over 40 years.

Every AST model is packed with quality features purpose-built to deliver years of low maintenance operation. Plus, with a huge selection of available platforms, capacities, and clever options, AST is equipped for the job.

## RECOMMENDED APPLICATIONS

**LIGHT/MEDIUM DUTY**



## AST MODELS

### **AST / AST-PLUS**

Available capacities from 1500 to 3500 lbs. with a choice of platform styles and other options fitting a wide variety of vehicles.

### **AST-L**

With a smaller platform and a more compact lifting structure, AST-L models are designed to fit vehicles with low bed heights.

## GREASE FREE

In 1993, we set out to develop a liftgate that didn't require grease to save a leasing partner time and money. The result was our unique grease free bushing technology.


Often imitated, never equalled, these advanced grease free bushings are part of what makes an Anthony more reliable with less maintenance.





## KEY ADVANTAGES

- Stainless Steel Pump Box
- Heavy Duty Transit Latch
- Low Pressure Hydraulics
- Grease Free



AST-2500 with 80" x 50" steel wedge.

### STANDARD AST / AST-PLUS MODELS

MODEL	AST-1500	AST-2000	AST-2500	AST-3000	AST-3500
Capacity (lbs.)	1500	2000	2500	3000	3500
Bed Height (Min-Max)	38" - 57"	38" - 57"	38" - 57"	38" - 57"	38" - 57"

#### AVAILABLE PLATFORMS

Steel 80" x 50" Wedge

Aluminum 84" x 50" Wedge

Steel or Aluminum 80" x 48" + 12" ARR

### LOW BED MODELS

MODEL	ASTL-2000	ASTL-2500	ASTL-3000
Capacity (lbs.)	2000	2500	3000
Bed Height (Min-Max)	36" - 44"	36" - 44"	36" - 44"

#### AVAILABLE PLATFORMS

Steel 80" x 44" Wedge

Aluminum 84" x 44" Wedge

Cart stops available on any wedge platform

For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)



# SM TUCKUNDER™



Anthony SM (Side Mount) Series liftgates feature all the low-maintenance features of the AST Series, designed for mount on the side of a truck.

With its side-mounted position and compact size, SM is ideal for offloading smaller cargo directly to a curb. Available level ride cams help to stabilize top heavy cargo such as milk crates, making SM a great fit for dairy delivery.

## RECOMMENDED APPLICATIONS

MEDIUM/HEAVY DUTY




## THE LATEST MANUFACTURING TECHNOLOGY

With the latest manufacturing technology and an experienced midwestern workforce, every liftgate takes shape from raw material to finished product under one roof.

That means better quality control, quicker responses to customers, and a product that is simply built to a higher standard.







SM-2500 shown with optional driver step

## KEY ADVANTAGES

- Stainless Steel Pump Box
- Heavy Duty Transit Latch
- Low Pressure Hydraulics
- Grease Free

## STANDARD MODELS

MODEL	SM-1800	SM-2500	SM-3000
Capacity (lbs.)	1800	2500	3000
Bed Height (Min-Max)	42" - 57"	42" - 57"	42" - 57"

## AVAILABLE PLATFORMS

Steel 48" x 34" + 7" Ramped

Steel 72" x 38" + 5" Ramped

For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)





# MTU-GLR TUCKUNDER™



The MTU-GLR (Magnum TuckUnder™ with Gentle Level Ride™) is the commercial-duty tuck for fleets that demand the best. These rugged liftgates sport a light, rigid structure for optimized performance with reduced installed weight, plus premium features like grease free pivot points, Gentle Level Ride™, ground contact rollers, an integrated rear bumper, and premium galvanized finish. MTU-GLR-L includes the premium features of its larger counterparts, but designed to fit the smaller installation envelope of vehicles with low bed heights such as common cabover chassis.

## RECOMMENDED APPLICATIONS

MEDIUM/HEAVY DUTY



## MTU-GLR MODELS

### MTU-GLR

A large selection of configurations suited for medium and heavy duty trucks and trailers.

### MTU-GLR-WR

This MTU is intended to be installed in combination with a walk ramp, allowing access to the ramp without lowering the liftgate from the stowed position.

### MTU-GLR-L

These new smaller MTU's are designed to deliver premium performance on vehicles with bed heights as low as 38".

## GENTLE LEVEL RIDE

Smooth, level up/down operation. Platform tilts gently at ground and re-levels before lifting cycle begins.





## KEY ADVANTAGES

- Twin Cylinder Drive
- Gentle Level Ride™
- Standard Power Down
- Grease Free
- Mechanical Transit Latch



MTU-GLR-L-2500 with optional cart stops

### STANDARD MODELS

MODEL	MTU-GLR-2500	MTU-GLR-3000	MTU-GLR-4000	MTU-GLR-5	MTU-GLR-6
Capacity (lbs.)	2500	3000	4000	5000	6000
Bed Height (Min-Max)	46" - 55"	46" - 55"	46" - 55"	47" - 57"	47" - 57"

### AVAILABLE PLATFORMS

All-Aluminum 84" x 60" Wedge (MTU-GLR-2500-4000)

Steel Main, Aluminum Flip 80" x 60" Wedge (MTU-GLR-5,6 only)

All-Aluminum 80" x 60" Wedge (MTU-GLR-5 only)

### WALK RAMP READY MODELS

MODEL	MTU-GLR-WR-2500	MTU-GLR-WR-3000	MTU-GLR-WR-4000
Capacity (lbs.)	2500	3000	4000
Bed Height (Min-Max)	49" - 55"	49" - 55"	49" - 55"

### AVAILABLE PLATFORMS

Aluminum 84" x 60" Wedge

### LOW BED MODELS - NEW

MODEL	MTU-GLR-L-2500	MTU-GLR-L-3000
Capacity (lbs.)	2500	3000
Bed Height (Min-Max)	38" - 46"	42" - 52"

### AVAILABLE PLATFORMS

Aluminum 84" x 50" Wedge

Cart stops available on any wedge platform.

ICC bumper and galvanized finish are optional on MTU-GLR-5/6 models

For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)





# RAILTRAC SERIES





ANTHONY  
LIFTGATES



# AR RAILTRAC



AR (Anthony RailTrac) is a classic medium rail liftgate, with spring- assisted platform operation and an extensive list of available configurations.

Its durable roller chain drive allows all hydraulic components to be guarded safely within the liftgate housing. Lift cycle friction is minimized by advanced anti-wear pads which eliminate the need to lubricate or replace rollers, common in competitive models. Plus, AR offers a huge variety of steel and aluminum platforms, and three corrosion resistance finishes, including stainless steel.

## RECOMMENDED APPLICATIONS

LIGHT/MEDIUM DUTY



## MARINE DUTY CONTROLS

Inside every Anthony toggle control is a premium-quality, IP-67 rated, stainless steel switch. Its terminals are fully encased in a thick epoxy coating which guards against dust, moisture intrusion, and loose electrical connections that can lead to unwelcome downtime.





## KEY ADVANTAGES

- Spring-Assist Open/Close
- Grease Free
- Low Pressure Hydraulics
- Highly Customizable



AR-1800 with aluminum platform and optional stainless finish

### STANDARD MODELS

MODEL	AR-1500	AR-2000	AR-2500	HCR-3000
Capacity (lbs.)	1500	2000	2500	3000
Bed Height (Min-Max)	28" - 58"	28" - 58"	28" - 58"	28" - 58"
MODEL WIDTH		PLATFORM WIDTH		
90" (92" Body)		86"		
94" (96" Body)		90"		
100" (102" Body)		96"		

### AVAILABLE PLATFORMS

Single Piece Steel 36" or 42" + 6" Fixed

Single Piece Steel 36" or 42" + 12" Fixed

Single Piece Aluminum 33", 39", 44", 50", 60" + 12" Fixed

Single Piece Aluminum 33", 39", 44", 50", 60" + 12" ARR

Cart stops available on any platform

78" wide models available

For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)

# AR-FA RAILTRAC



AR-FA (Anthony RailTrac Full Access) includes all the same low maintenance features of the AR series, but with folding 2-piece aluminum platforms. These folding platforms allow for an exceptionally large load area while still retaining full access to the rear door, even on lower bed heights. AR-FA is the versatile choice for anyone in need of a medium rail lift.

## RECOMMENDED APPLICATIONS

LIGHT/MEDIUM DUTY



## KEY ADVANTAGES

- Full Rear Door Access
- Grease Free
- Low Pressure Hydraulics
- EZ Mount™ Installation

### STANDARD MODELS

MODEL	AR-FA-25-50-94	AR-FA-25-50-100	AR-FA-25-60-94	AR-FA-25-60-100
Capacity (lbs.)	2500	2500	2500	2500
Bed Height (Min-Max)	34" - 58"	34" - 58"	39" - 58"	39" - 58"

MODEL WIDTH	PLATFORM WIDTH
94" (96" Body)	90"
100" (102" Body)	96"

### AVAILABLE PLATFORMS

Two Piece Aluminum 50" or 60" + 12" Fixed

Platform flip is 3" narrower than main to allow for folding clearance  
Min bed height to allow full door access when platform folded  
For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)



# AR-DT RAILTRAC



AR-DT with optional galvanized finish

AR-DT (Anthony RailTrac Dump-Through) is a medium rail liftgate with all the low maintenance features of the AR series, but with a special dump-through platform which pivots to allow material to pass through the liftgate. With an AR-DT, a dump bed vehicle can do more than just haul and dump bulk materials. It can lift and lower heavy items like plants and equipment, too – a must-have for landscapers.

## RECOMMENDED APPLICATIONS

LIGHT/MEDIUM DUTY



## KEY ADVANTAGES

- Spring-Assist Open/Close
- Grease Free
- Low Pressure Hydraulics
- Special Dump-Through Platform

### STANDARD MODELS

MODEL	AR-1500-DT	AR-2000-DT
Capacity (lbs.)	1500	2000
Bed Height (Min-Max)	36" - 58"	36" - 58"
MODEL WIDTH	PLATFORM WIDTH	
90" (92" Body)	86"	
94" (96" Body)	90"	

### AVAILABLE PLATFORMS

Pivoting Steel Dump-Through Platform 36" + 6"

For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)

# DDR RAILTRAC



Anthony's new DDR Series liftgates are the most advanced medium-duty rail lifts on the market. These innovative new models pack the high-end performance of larger rail lifts into a compact structure, well-suited to medium duty trucks. Other medium-duty liftgates are driven by a hydraulic cylinder and a series of chains and pulleys to lift and lower the platform. DDR models are direct hydraulic drive, without any drive chains or pulleys inside, resulting in a more reliable liftgate with fewer routine maintenance requirements than older liftgates.

## RECOMMENDED APPLICATIONS

### MEDIUM DUTY



## BUILT TO A HIGHER STANDARD

Quality is priority #1, so every Anthony gate is built to a higher standard.

High-strength steel construction, advanced anti-wear materials, waterproof switches, premium power packs, and industry-leading corrosion resistance put Anthony in a class all its own.







## KEY ADVANTAGES

- Direct Hydraulic Drive
- Grease Free Pivot Points and Sliders
- Standard Power Down
- Mechanical Transit Latch

DDR-3000 shown with optional features

### STANDARD MODELS

MODEL	DDR-3000	DDR-3500
Capacity (lbs.)	3000	3500
Bed Height (Min-Max)	Up to 55"	Up to 55"
MODEL WIDTH	PLATFORM WIDTH	
96" (96" Body)	90"	
102" (102" Body)	96"	
AVAILABLE PLATFORMS		
Steel 40" + 8" Ramped Platform		
Aluminum Ramped Platforms up to 60" + 12"		

# PCR RAILTRAC

PCR (Power Close RailTrac) is a classic medium rail liftgate, with the added convenience of a power open-close platform.

Its durable roller chain drive allows all hydraulic components to be guarded safely within the liftgate housing. Lift cycle friction is minimized by advanced anti-wear pads which eliminate the need to lubricate or replace rollers, common in competitive models.

## RECOMMENDED APPLICATIONS

LIGHT/MEDIUM DUTY



## PCR MODELS

### PCR

Standard PCR models available with a selection of steel and aluminum platforms.

### PCR-GB

PCR-GB is a medium duty rail lift specially designed for gas bottle delivery. It includes all the great low maintenance advantages of the PCR series, but with a unique gas bottle handling platform, built to safely handle bottled gas containers.

## MADE IN THE U.S.A.

Every Anthony liftgate is precision fabricated in Pontiac, IL.





## KEY ADVANTAGES

- Power Open/Close
- Grease Free
- Low Pressure Hydraulics
- Integrated Tail Lights



### STANDARD MODELS

MODEL	PCR-2000	PCR-2500
Capacity (lbs.)	2000	2500
Bed Height (Min-Max)	30" - 58"	30" - 58"
MODEL WIDTH	PLATFORM WIDTH	
94" (96" Body)	90"	
100" (102" Body)	96"	

### AVAILABLE PLATFORMS

Single Piece Steel 36" or 42" + 6" Fixed

Single Piece Steel 36" or 42" + 12" ARR

Single Piece Aluminum 55" or 60" + 12" Fixed

### GAS BOTTLE MODELS

MODEL	PCR-2500-GB
Capacity (lbs.)	2500
Bed Height (Min-Max)	28" - 58"
MODEL WIDTH	PLATFORM WIDTH
94" (96" Body)	90"
100" (102" Body)	96"

### AVAILABLE PLATFORM

30" Deep Steel Bar Grate Platform + 20" Aluminum Flip Ramp and Gas Bottle Handling Rails

For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)

# MRT RAILTRAC



MRT (Magnum RailTrac) is a premium line of heavy duty rail lifts designed to deliver maximum performance in the most demanding applications. Whether it's delivery of auto parts, beverages, food, or any other rigorous process, MRT can help maximize uptime and minimize operating expenses.

At the heart of every MRT is its self-lubricating V-track slide system which eliminates the need for lubrication and costly roller replacement. MRT's powerful and efficient synchronized dual-motor drive system lifts at low pressures, with the added security of seamless emergency backup. LevelGuard™ helps to prevent cylinder damage from the platform being lowered onto uneven ground.

Anthony is the industry leader in corrosion resistance, with models available in premium polymer, hot dip galvanized, or stainless steel finish. MRT has a rugged and attractive solution for every climate.

## RECOMMENDED APPLICATIONS

MEDIUM/HEAVY DUTY



## CORROSION RESISTANT FINISHES

Choose from standard Anthony premium polymer finish, or optional galvanized or stainless steel finishes.





## KEY ADVANTAGES

- Standard Dual Motors
- Grease Free
- Low Pressure Hydraulics
- Service-Free V-Trac Sliders
- Level-Guard™



### STANDARD MODELS

MODEL	MRT-3500	MRT-4500	MRT-5500	MRT-6500
Capacity (lbs.)	3500	4500	5500	6500
Bed Height (Min-Max)	38" - 58"	38" - 58"	38" - 58"	38" - 58"
MODEL WIDTH		PLATFORM WIDTH		
96" Wide Model		80"		
100" Wide Model		86"		

### AVAILABLE PLATFORMS

Two Piece Steel 60" or 72" + 12" Pop-Up Ramp

Two Piece Steel 60" or 72" + 12" Fixed

Two Piece, Steel or Aluminum 72" or 84" + 16" ARR

Two Piece Steel Bar Grate 72" or 84" + 16" ARR

Cart stops available on ramped platforms, additional platforms available

For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)

# MRT-SL RAILTRAC



MRT-SL (Magnum RailTrac Side Load) was specifically designed for food delivery. It includes all the great low maintenance advantages of the MRT series, but with a patented, full-size, three-side loadable platform, which allows a driver to load and unload in tight spaces or directly to a curb.

## KEY ADVANTAGES

- Patented 3 Side Loadable Platform
- Standard Dual motors
- Grease Free
- Low Pressure Hydraulics
- Service - Free V-Trac sliders
- Level Guard™

## STANDARD MODELS

MODEL	MRT-SL-3500	MRT-SL-4500	MRT-SL-5500
Capacity (lbs.)	3500	4500	5500
Bed Height (Min-Max)	49" - 58"	49" - 58"	49" - 58"
MODEL WIDTH	PLATFORM WIDTH		
96" Wide Model	80"		
100" Wide Model	86"		

## AVAILABLE PLATFORMS

84" + (1) 16" Rear Ramp and (2) 30" Wide + 33.5" Deep Curb/Road Side Ramps

For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)

## RECOMMENDED APPLICATIONS

MEDIUM/HEAVY DUTY



# MRT-XL RAILTRAC

## RECOMMENDED APPLICATIONS

MEDIUM/HEAVY DUTY



## STANDARD MODELS

MODEL	MRT-XL-3500	MRT-XL-4500	MRT-XL-5500
Capacity (lbs.)	3500	4500	5500
Bed Height (Min-Max)	38" - 58"	38" - 58"	38" - 58"
AVAILABLE PLATFORMS			

XL Tri-Fold Steel/Aluminum 96" + 12" ARR

Patent 11,377,013



# MRT-GB RAILTRAC

MRT-GB (Magnum RailTrac Gas Bottle) is a heavy duty rail lift specially designed for gas bottle delivery. It includes all the great low maintenance advantages of the MRT series, but with a unique gas bottle handling platform, built to safely handle bottled gas containers.



## KEY ADVANTAGES

- Standard Dual Motors
- Grease Free
- Low Pressure Hydraulics
- Service-Free V-Trac Sliders
- Level Guard™

## RECOMMENDED APPLICATIONS

MEDIUM/HEAVY DUTY



### STANDARD MODELS

MODEL	MRT-GB-3500	MRT-GB-4500
Capacity (lbs.)	3500	4500
Bed Height (Min-Max)	38" - 58"	38" - 58"
MODEL WIDTH	PLATFORM WIDTH	
96" Wide Model	80"	
100" Wide Model	86"	

### AVAILABLE PLATFORMS

39" Deep Steel Bar Grate Platform + 16" Aluminum Flip Ramp and Gas Bottle Handling Rails

For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)









# PICKUP AND UTILITY SERIES



# ALB PICKUP & UTILITY BODY



The Anthony ALB (Anthony Load Blazer) is, hands-down, the industry's toughest pickup and service body liftgate. Its dual-cylinder direct drive system lifts with no cables, plus its grease free design means years of smooth operation with no required lubrication.

ALB features an exclusive stabilizer beam which reduces side-to-side platform motion and doubles as a driver step for easy access to the truck bed. For a pickup gate that's truly built for work, there's no substitute for an Anthony ALB.

## RECOMMENDED APPLICATIONS

LIGHT/MEDIUM DUTY



## SIMPLY RELIABLE.

Spend more time trucking and less time maintaining your equipment.

Simple design is one of the best ways to maximize reliability. That's why Anthony liftgates are designed simple -- increased reliability and superior ease of service. In fact, many models can be serviced with nothing more than a few common hand tools.



## KEY ADVANTAGES

- Stabilizer Beam Step
- Direct Hydraulic Drive
- Grease Free
- Recessed Control
- Platform Doubles as Tailgate



### STANDARD MODELS

MODEL	ALB-1500-57	ALB-1500-61
Capacity (lbs.)	1500	1500
Bed Height (Min-Max)	Up to 46"	Up to 46"

### AVAILABLE PLATFORMS

Steel or Aluminum	46" x 41" + 6" Ramped	50" x 41" + 6" Ramped
Steel Bar Grate	46" x 22"	50" x 22"

Optional tire rack available

For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)

# LA VAN & UTILITY BODY



The LA (Little Anthony) Series is a classic liftgate designed for use on service bodies and dry vans. It features direct hydraulic drive, a built-in step, standard tail lights, and a recessed toggle switch, plus all hydraulic components are housed safely within the liftgate body.

LA is a great fit for mobile service and roadside tire repair vehicles.

## RECOMMENDED APPLICATIONS

**LIGHT/MEDIUM DUTY**



## KEEP MOVING FORWARD

Get your truck back on the road faster with Anthony.

Anthony's parts and service distribution center is located inside a 134,000 square foot dedicated liftgate production facility in Pontiac, IL where every liftgate is built. This central U.S. location, plus on-site fabrication, and extensive part inventory allows a team of committed customer support professionals to ship parts when you need them most.





## KEY ADVANTAGES

- Built-in Step
- Direct Hydraulic Drive
- Recessed Control
- 3-Side Access Platform
- Integrated Tail Lights



LA-86-A with dual cart stops

### STANDARD MODELS

MODEL	LA-66	LA-86
Capacity (lbs.)	1600	2000
Overall Width	72"	92"
Bed Height (Min-Max)	Up to 54"	Up to 54"
AVAILABLE PLATFORMS		
Aluminum	65" x 41" + 6" ramped	85" x 41" + 6" ramped
Steel Bar Grate	65" x 27"	85" x 27"

Optional tire rack available, cart stops available on aluminum platforms  
For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)

# AC CONVENTIONAL SERIES



The AC conventional liftgate functions similar to the world's first liftgate, invented by Anthony in 1941.

Its platform stows folded upright, doubling as a tail gate when not in use. AC features a grease free design to provide years of smooth operation without the expense of routine lubrication.

It is best suited for stake bed trucks hauling general cargo, such as construction and landscaping vehicles.

## RECOMMENDED APPLICATIONS

MEDIUM/HEAVY DUTY



## LOW PRESSURE HYDRAULICS

Anthony liftgates are designed to run at low pressure, which puts less strain on hoses, fittings, cylinders, and power units, extending the life of the entire hydraulic system.

Also, every cylinder on an Anthony liftgate is designed to pull when lifting, and to stow in the retracted position in transit. This helps guard the cylinder rods from pitting and corrosion that can prematurely damage seals and lead to shorter cylinder life.







## KEY ADVANTAGES

- Platform Doubles as Tailgate
- Heavy duty Transit Latch
- Grease Free
- Stainless Steel Pump Box

### CONVENTIONAL MODELS

MODEL	AC-1600	AC-2000	AC-2500
Capacity (lbs.)	1600	2000	2500
Bed Height (Min-Max)	36" - 57"	36" - 57"	36" - 57"

### AVAILABLE PLATFORMS

Steel 72" x 36" + 6"

Steel 84" x 36" + 6"

Steel 90" x 36" + 6"

Aluminum platforms available by request

For mounting requirements, visit [anthonyliftgates.com/mountingrequirements](http://anthonyliftgates.com/mountingrequirements)






**LIFT  
GATE®**


# ANTHONY LIFT GATE®

*America's most complete line of  
hydraulically-powered tail-gates*




**4-WAY  
POWER**


**TO  
REDUCE  
YOUR  
TRUCKING  
COSTS**




1 POWER OPENING



2 POWER LOWERING



3 POWER LIFTING



4 POWER CLOSING

**... all with one handy lever, one hydraulic cylinder**




**NOW! MORE PAY <sup>A</sup> LOADS**

With High Tensile  
Aluminum Alloy  
and Steel--Lighter  
Weight -- Extra  
Strength

**ANTHONY  
LIFT GATE  
HYDRAULIC**

TRADE MARK REG. U.S. PAT. OFF.



GIVES A **LIFT** TO TRUCKING PROFITS

POWER OR "SPRING" CLOSING  
WITH OR WITHOUT PERMANENT RAMP

AMERICA'S LEADING TRUCK LOADER

# **ANTHONY**

## **LIFTGATES, INC.®**

1037 W. Howard Street • PO Box 615 • Pontiac, IL 61764  
Ph. (815) 842.3383 • Fax. (815) 844.3612 • Toll Free. (800) 482.0003  
[www.anthonyliftgates.com](http://www.anthonyliftgates.com)